

CELESTIAL, IP440 Inspection Checklist

Inspected by: _____ Date: _____

Exterior Conditions Noted:

Exterior hull, bowsprit, transom, platform:

Teak toe rail, coaming tops, grab rails, eyebrows & bowsprit:

Side decks and cabin top & sides:

Cockpit sole, bridge deck & steering pedestal:

Cockpit seats, locker lids & trim:

Companionway slide, washboards & trim:

Bow pulpit, stanchions, lifelines, stern rail & ladder:

Wind scoops, hatches, speakers & screens:

Mast, booms, vang, standing rig, turnbuckles, swages, cotter pins, spinnaker pole & rigging:

Sails, sheets, travelers, winches, handles:

Canvas dodger, bimini, sail cover, cockpit cushions:

Dock lines, cleats, chafe gear, shore power cords, 2-way splitter, water hose and nozzle:

Steering gear, wheel lock, emergency steering handle, compass, binnacle, Raytheon repeater (Radar, GPS, Plotter), table, manual bilge pump:

Anchors, rodes, windlass, hand crank, chain stopper, washdown pump, snubber line, locker & hatch, and lines & deck wash hose stored in anchor locker:

Nav lights, anchor light, foredeck light:

Propane bottles, valves, pressure gage, hatch cover:

Dinghy, oars, outboard motor, outboard fuel tank, lifting tackle, security cable, lock & key:

Other:

Interior Conditions Noted:

Bulkheads, overhead, sole, doors, drawers, lockers, table, counters, fiddles, leather cushions (keep pens/markers/sharp objects away):

Linens, pillows:

Galley, stove, refrigerator, sump pump, strainer, microwave, pots & pans, utensils, dishes, plates, glasses, cups, towels, paper towels, and propane tanks, valves and breaker:

Heads, shower, toilet, mirror, curtain, door, sump pump, pump strainer, holding tank, overboard valve, Y-valve, macerator, holding tank gage near A/C panel:

Engine, oil levels, coolant level, belts, leakages, coupling bolts, starting, seawater flow (expect pressure release flow from second exhaust through hull to starboard), vibrations, gear shifter, packing leakage, operation, power levels:

Through hull valves, strainers:

Generator, oil level, coolant level, belt, leakages, starting, seawater flow, vibrations, operation, power levels:

Shore power, battery charger, 110 volt distribution panel, outlets & equipment:

Battery charge levels, 12 volt distribution panel, outlets, interior lights, navigation lights:

Hatches, side lights, ventilators

Air conditioner, sea cocks (close air conditioner seacock underway; open before startup), saltwater pump, air filter:

Nav table (folding support arms secured?), seat, instruments, SSB radio, charts, tide & current tables, almanacs. Before operation: Autohelm breaker on; leave on stand-by as it activates GPS & fluxgate function:

Fresh water tank, gage (near a/c panel), plumbing, water heater, faucets, hand pump, electric bilge pump, bilge condition:

Other: